CERTIFICATION OF FACSIMILE TRANSMISSION

DATE OF TRANSMISSION: **October 18, 2002**

I hereby certify that this paper or fee is being facsimile transmitted to the U.S. Patent and Trademark Office on the date shown above to telephone number 703-308-3597 (Group Art Unit 3635 FAX).

Signature of Transmitter

ALTON W. PAYNE, J.D., Ph.D.

Attorney at Law

5001 Bissonnet, Suite 200

Bellaire, Texas 77401

Telephone: (713) 840-8008

Facsimile: 713-840-8088

Email: alwpayne@earthlink.net

Cell: 713-854-2755

FAX COVER LETTER

FROM:	Sender:	**Al Payne**
	Our Ref:	LIT03
	Date:	October 18, 2002
TO:	Attention:	**Yvonne Horton**
	Company:	U.S. Patent & Trademark Office
	Your Ref.:	Serial No. 09/652,648
	Gp Art Unit:	5
	Fax No.:	703-308-3597

No. of pages including this cover sheet: 10

Dear Examiner Horton,

Per our telephone conversation last week, attached are "clean" copies of the pages that were amended for the captioned patent application. The nine (9) pages submitted are 15, 47, 49, 50, 51, 52, 53, 54 and 55. Page 55 is now a blank page.

If you need a clean copy of the entire application (56 pages), please contact me and we will mail, fax or email it to you, whichever you request.

Respectfully submitted,

Al Payne

Reg. No. 30,580

TRANSMISSION VERIFICATION REPORT

TIME : 10/18/2002 13:05
NAME : AL PAYNE PC
FAX : 7138408088
TEL : 7138408008
SER.# : BROH1J534067

DATE,TIME	10/18 13:03
FAX NO./NAME	17033053597
DURATION	00:02:31
PAGE(S)	10
RESULT	OK
MODE	STANDARD ECM

CERTIFICATION OF FACSIMILE TRANSMISSION

DATE OF TRANSMISSION: **October 18, 2002**
I hereby certify that this paper or fee is being facsimile transmitted to the U.S. Patent and Trademark Office on the date shown above to telephone number 703-308-3597 (Group Art Unit 3635 FAX).

Signature of Transmitter

ALTON W. PAYNE, J.D., Ph.D.
Attorney at Law
5001 Bissonnet, Suite 200
Bellaire, Texas 77401
Telephone: (713) 840-8008
Facsimile: 713-840-8088
Email: alwpayne@earthlink.net
Cell: 713-854-2755

FAX COVER LETTER

FROM:	Sender:	**Al Payne**
	Our Ref:	LIT03
	Date:	October 18, 2002
TO:	Attention:	**Yvonne Horton**
	Company:	U.S. Patent & Trademark Office
	Your Ref.:	Serial No. 09/652,648
	Gp Art Unit:	5
	Fax No.:	703-308-3597

No. of pages including this cover sheet: 10

WARNING

The documents accompanying this facsimile transmission contain information which is confidential or privileged. The information is for the use of the individual or entity named on this transmission sheet. Only the addressee may review its contents. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

Dear Examiner Horton.

system of the present invention having elements that are bendable metal.

FIG. 21A a sectional illustration of a channelled bottom track used in association with the wall system of the present invention having a data channel.

FIG. 21AA a sectional illustration of another channelled bottom track used in association with the wall system of the present invention having a data channel.

FIG. 21AAA a sectional illustration of yet another channelled bottom track used in association with the wall system of the present invention having a data channel.

FIG. 21B is a sectional illustration of another channelled bottom track used in association with a load-bearing wall system of the present invention having a data channel.

FIG. 22A is a sectional illustration of another channelled bottom track used in association with a wall system of the present invention having a data channel.

FIG. 22AA is a sectional illustration of an alternate alternate embodiment of the one piece base track with a raised channel-seat for the stud.

FIG. 22B is a sectional illustration of another channelled bottom track used in association with a wall system of the present invention having a data channel .

FIG. 22C is a sectional illustration of another channelled bottom track used in association with a load-bearing wall system of the present invention having a data channel.

FIG. 23 illustrates a one-piece head track for use with one embodiment of the present invention.

The above general description and the following detailed description are merely illustrative of the generic invention, and

bottom track 2122 has flush base trim 2130 with a raised channel seat for accepting the stud 2120. As in the other embodiments, the base trim 2130 is affixed to the bottom track 2122, but not the panel 2102, for easy removal. As with the other embodiments of the present invention, treated screws 2104F may be used.

FIG. 21B is a sectional illustration of another channelled bottom track 2122 used in association with a load-bearing wall system of the present invention having a data channel 2122A. The bottom track 2122 has flush base trim 2130 with a raised channel seat for accepting the stud 2120. As in the other embodiments, the base trim 2130 is affixed to the bottom track 2122, but not the panel 2102, for easy removal. As with the other embodiments of the present invention, treated screws 2104F may be used.

FIG. 22A is a sectional illustration of another channelled bottom track 2222 used in association with a wall system of the present invention having a data channel 2222A. The bottom track 2222 has flush base trim 2230 with a raised channel seat for accepting the stud 2220. As in the other embodiments, the base trim 2230 is affixed to the bottom track 2222, but not the panel 2202, for easy removal. As with the other embodiments of the present invention, treated screws 2204F may be used.

FIG. 22AA is a sectional illustration of an alternate alternate embodiment of the one piece base track with a raised channel-seat for the stud.

FIG. 22B is a sectional illustration of another channelled bottom track 2222 used in association with a wall system of the present invention having a data channel 2222A. The bottom track 2222 has flush base trim 2230 with a raised channel seat for accepting the stud 2220. As in the other embodiments, the base trim 2230 is affixed to the bottom track 2222, but not the panel